

## Huxter Lane Project - Mosquito Hill Prospect

Hole Number	Azm (true)	Dip (°)	Hole Length (metres)	From (m)	To (m)	Core Length (m)	Au (g/t)
<b>HX06-01</b> <i>including</i>	340	-45	57.0	5.90	34.50	28.60	1.07
				5.90	16.40	10.50	1.86
				<b>5.90</b>	<b>12.60</b>	<b>6.70</b>	<b>2.27</b>
<b>HX06-02</b> <i>including</i>	340	-70	60.2	4.60	42.35	37.75	0.67
				4.60	12.00	7.40	1.85
				<b>4.60</b>	<b>6.00</b>	<b>1.40</b>	<b>3.46</b>
<b>HX06-03</b> <i>including</i>	340	-70	166.7	33.15	36.15	3.00	1.05
				33.15	34.15	1.00	1.72
<b>HX06-04</b>	340	-45	62.8	39.25	54.05	14.80	0.43
<b>HX06-05</b> <i>including</i>	340	-45	81.4	28.15	70.00	41.85	0.46
				29.15	31.15	2.00	1.77
<b>HX06-06</b> <i>including</i>	340	-70	81.1	27.15	74.75	47.60	0.65
				<b>27.15</b>	<b>33.15</b>	<b>6.00</b>	<b>2.32</b>
				<b>31.15</b>	<b>32.15</b>	<b>1.00</b>	<b>5.39</b>
<b>HX06-07</b> <i>including</i>	340	-45	124.1	91.40	107.30	15.90	0.42
				102.40	104.40	2.00	0.94
<b>HX06-08</b>	295	-45	133.2	79.75	112.45	32.70	0.22
<b>HX06-09</b> <i>including</i>	n/a	-90	128.4	85.50	95.50	10.00	0.73
				86.00	87.00	1.00	1.42
				91.50	92.50	1.00	1.64
<b>HX06-10</b> <i>including</i>	295	-45	157.0	117.00	128.55	11.55	0.77
				<b>126.00</b>	<b>128.55</b>	<b>2.55</b>	<b>2.28</b>
				<b>127.00</b>	<b>128.00</b>	<b>1.00</b>	<b>4.43</b>
<b>HX06-11</b>	295	-70	124.8	96.00	115.75	19.75	0.32
<b>HX06-12</b>	340	-45	150.6	91.00	101.00	10.00	0.33
<b>HX06-13</b> <i>including</i>	340	-45	186.2	10.00	66.00	56.00	0.66
				48.00	52.00	4.00	1.54
				56.00	63.00	7.00	1.50
				<b>61.00</b>	<b>62.00</b>	<b>1.00</b>	<b>2.24</b>
<b>HX06-16</b> <i>including</i>	340	-45	163.7	<b>115.00</b>	<b>150.00</b>	<b>35.00</b>	<b>2.21</b>
				<b>118.00</b>	<b>138.00</b>	<b>20.00</b>	<b>2.67</b>
				<b>118.00</b>	<b>130.00</b>	<b>12.00</b>	<b>2.82</b>
				<b>145.00</b>	<b>150.00</b>	<b>5.00</b>	<b>3.00</b>
<b>HX07-19</b>	340	-45	212.3	88.00	97.50	9.50	0.26
<b>HX07-20</b> <i>including</i>	340	-45	211.3	87.85	191.20	103.35	0.67
				<b>139.30</b>	<b>140.30</b>	<b>1.00</b>	<b>7.56</b>
				<b>180.20</b>	<b>182.20</b>	<b>2.00</b>	<b>2.61</b>
<b>HX07-22</b> <i>including</i>	340	-45	207.9	108.80	166.25	57.45	0.60
				145.50	161.30	15.80	1.37
				151.70	160.10	8.40	1.92
				<b>155.10</b>	<b>157.50</b>	<b>2.40</b>	<b>3.19</b>

## Huxter Lane Project - Mosquito Hill Prospect

Hole Number	Azm (true)	Dip (°)	Hole Length (metres)	From (m)	To (m)	Core Length (m)	Au (g/t)
<b>HX07-23</b> <i>including</i>	340	-45	223.1	103.20	176.90	73.70	0.42
				103.20	108.20	5.00	1.38
<b>HX07-24</b> <i>including</i>	340	-45	191.1	139.30	159.50	20.20	1.68
				<b>141.30</b>	<b>158.15</b>	<b>16.85</b>	<b>2.00</b>
				<b>144.30</b>	<b>148.30</b>	<b>4.00</b>	<b>4.16</b>
				<b>151.30</b>	<b>154.30</b>	<b>3.00</b>	<b>3.08</b>
<b>HX07-25</b>	340	-45	282.6	198.00	208.35	10.35	0.37
<b>HX08-26</b> <i>and including</i>	340	-70	224.3	174.60	202.75	28.15	0.39
				213.70	216.70	3.00	1.73
				<b>214.70</b>	<b>215.70</b>	<b>1.00</b>	<b>3.42</b>
<b>HX08-27</b> <i>and and</i>	340	-70	131.0	59.80	61.00	1.20	0.61
				84.50	93.50	9.00	0.59
				105.00	117.10	12.10	0.50
<b>HX08-28</b> <i>and</i>	340	-70	185.0	84.00	86.00	2.00	0.98
				133.00	136.00	3.00	1.23
<b>HX08-29</b> <i>including and including</i>	340	-70	191.9	105.40	125.40	20.00	0.84
				<b>120.40</b>	<b>122.40</b>	<b>2.00</b>	<b>2.83</b>
				145.40	156.80	11.40	0.54
<b>HX08-30</b> <i>and including and</i>	340	-70	224.0	32.00	37.00	5.00	0.84
				42.00	48.00	6.00	0.92
				<b>46.00</b>	<b>47.00</b>	<b>1.00</b>	<b>2.45</b>
				137.00	193.50	56.50	0.41
<b>HX08-31</b> <i>and</i>	340	-70	266.0	145.00	148.00	3.00	0.77
				195.50	212.00	16.50	0.55
<b>HX09-32</b> <i>including</i>	340	-44	187.5	146.48	164.00	17.52	0.38
				146.48	155.30	8.82	0.70
				151.50	155.30	3.80	1.06
<b>HX09-33</b> <i>including</i>	340	-45	172.1	122.72	161.40	38.68	0.57
				123.72	126.70	2.98	2.10
				123.72	137.27	13.55	1.00
				<b>123.72</b>	<b>140.77</b>	<b>17.05</b>	<b>0.93</b>
<b>HX09-34</b> <i>including</i>	340	-45	156.1	123.44	133.62	10.18	0.52
				126.97	128.37	1.40	1.83
<b>HX09-35</b> <i>including</i>	345	-45	158.2	139.54	153.04	13.50	0.64
				145.83	153.04	7.21	1.14
<b>HX09-36</b>	345	-45	84.1	assays; target not reached			
<b>HX09-37</b> <i>including</i>	340	-45	160.6	122.05	155.85	33.80	0.51
				127.22	133.70	6.48	0.70
				146.82	155.85	9.03	0.99

## Huxter Lane Project - Mosquito Hill Prospect

Hole Number	Azm (true)	Dip (°)	Hole Length (metres)	From (m)	To (m)	Core Length (m)	Au (g/t)
				149.40	155.85	6.45	1.27
<b>HX09-38</b> <i>including</i>	340	-45	161.8	77.12	154.61	77.49	0.38
				<b>77.12</b>	<b>105.18</b>	<b>28.06</b>	<b>0.55</b>
				77.12	82.14	5.02	1.03
				113.29	119.46	6.17	0.70
				140.61	154.61	14.00	0.57
				140.61	142.62	2.01	3.24
<b>HX09-39</b> <i>including and</i>	340	-45	141.7	37.82	81.87	44.05	0.21
				65.05	71.45	6.40	0.56
				96.04	97.16	1.12	2.20
				112.31	115.63	3.32	1.24
<b>HX09-40</b> <i>and</i>	340	-45	141.7	31.91	45.83	13.92	0.51
				68.72	71.25	2.53	0.58
				110.41	113.92	3.51	0.30
<b>HX09-41</b> <i>including</i>	335	-45	91.4	16.46	51.00	34.54	0.31
				36.86	38.98	2.12	0.87
				48.42	51.00	2.58	1.37
<b>HX09-42</b> <i>including</i>	340	-45	86.9	41.85	56.88	15.03	0.43
				54.72	56.88	2.16	1.15
<b>HX09-43</b> <i>and</i>	340	-45	93.0	51.30	58.04	6.74	0.54
				74.89	76.92	2.03	0.75
<b>HX09-44</b> <i>including  and and</i>	340	-45	117.4	<b>59.96</b>	<b>95.39</b>	<b>35.43</b>	<b>0.42</b>
				61.02	69.79	8.77	0.57
				74.56	78.06	3.50	0.88
				83.16	95.39	12.23	0.50
				92.39	95.39	3.00	0.83
				97.46	99.48	2.02	1.61
				103.69	110.58	6.89	0.57
<b>HX09-45</b> <i>including</i>	340	-45	118.9	47.87	89.80	41.93	0.30
				50.54	55.84	5.30	0.54
				59.06	62.31	3.25	0.46
				66.16	69.24	3.08	0.60
				82.43	87.63	5.20	0.75
<b>HX09-46</b> <i>including</i>	340	-45	152.4	51.11	105.88	54.77	0.29
				74.32	105.88	31.56	0.37
				74.32	82.04	7.72	0.56
				86.15	90.30	4.15	0.51
				95.50	98.05	2.55	0.55
				100.11	102.79	2.68	0.57
<b>HX10-47</b> <i>including</i>	340	-55	181.5	<b>77.00</b>	<b>145.00</b>	<b>68.00</b>	<b>0.78</b>
				<b>78.00</b>	<b>108.00</b>	<b>30.00</b>	<b>1.02</b>

<b>Huxter Lane Project - Mosquito Hill Prospect</b>							
<b>Hole Number</b>	<b>Azm (true)</b>	<b>Dip (°)</b>	<b>Hole Length (metres)</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Core Length (m)</b>	<b>Au (g/t)</b>
				83.00	87.00	4.00	2.18
<b>HX10-48</b> <i>including</i>	340	-45	214.5	<b>97.41</b> 121.87	<b>128.00</b> 128.00	<b>30.59</b> 6.13	<b>0.64</b> 1.16
<b>HX10-49</b> <i>including</i>	340	-45	192.1	<b>92.00</b> 118.00	<b>124.00</b> 124.00	<b>32.00</b> 6.00	<b>0.54</b> 1.03
<b>HX10-50</b> <i>including and including</i>	070	-45	276.0	68.58 75.32 <b>91.00</b> <b>91.00</b> <b>120.00</b>	80.00 80.00 <b>201.00</b> <b>101.00</b> <b>130.87</b>	11.42 4.68 <b>110.00</b> <b>10.00</b> <b>10.87</b>	0.56 1.02 <b>0.50</b> <b>1.52</b> <b>1.13</b>
<b>HX10-51</b> <i>including</i>	340	-45	111.3	34.75 39.00	42.47 42.00	7.72 3.00	1.16 2.54
<b>HX10-52</b> <i>including</i>	074	-45	208.2	<b>72.50</b> <b>102.00</b> <b>102.00</b>	<b>155.00</b> <b>148.00</b> <b>120.00</b>	<b>82.50</b> <b>46.00</b> <b>18.00</b>	<b>0.56</b> <b>0.70</b> <b>1.01</b>
<b>HX10-53</b> <i>and including</i>	070	-45	228.7	54.30 <b>149.10</b> <b>165.50</b>	65.20 <b>209.70</b> <b>191.35</b>	10.90 <b>60.60</b> <b>25.85</b>	0.60 <b>0.74</b> <b>1.05</b>
<b>HX10-54</b> <i>including</i>	070	-45	119.5	47.95 47.95	69.25 55.60	21.30 7.65	0.36 0.51
<b>HX10-55</b> <i>including</i>	070	-45	285.1	<b>212.00</b> <b>218.00</b>	<b>274.00</b> <b>242.00</b>	<b>62.00</b> <b>24.00</b>	<b>0.70</b> <b>1.00</b>
<b>HX10-56</b>	070	-45	86.9	42.00	46.13	4.13	0.66
<b>HX10-57</b>	070	-45	81.7	significant values			
<b>HX10-58</b> <i>including</i>	250	-45	346.0	<b>210.00</b> 210.00 294.13 303.18	<b>325.04</b> 220.45 320.04 311.09	<b>115.04</b> 10.45 25.91 7.91	<b>0.46</b> 1.18 0.64 1.10
<b>HX10-59</b>	265	-70	341.5	261.88	271.04	9.16	1.18
<b>HX10-60</b> <i>including</i>	250	-70	343.0	256.94 259.69	261.80 261.80	4.86 2.11	0.63 1.44