

Table of Significant Assays South Tally Pond Project - Lemarchant Prospect

Drillhole	Northing	Easting	Inclination	Length (m)	From (m)	To (m)	Interval (m)	Zinc (%)	Lead (%)	Copper (%)	Silver (g/t)	Gold (g/t)
372-1	107+00	101+25	-50	91.4	no significant assays							
372-2	99+00	99+87.5	-51	80.5	no significant assays							
LM91-01	100+00	99+15	-50	128.4	94.20	102.00	7.80	1.00	0.75	0.08	147.90	1.94
<i>including</i>					99.40	100.00	0.60	7.40	6.30	0.57	1301.00	11.40
LM91-02	100+00	99+97	-50	209.4	148.50	149.10	0.60	2.12	0.14	trace	6.84	0.22
LM91-03	99+00	99+28	-50	164.6	111.60	112.60	0.80	1.87	0.49	0.04	7.15	0.09
LM91-04	101+00	99+50	-45	135.7	54.60	57.20	2.60	1.61	trace	trace	trace	trace
LM91-05	97+17	100+00	-45	152.4	no significant assays							
LM91-06	106+00	100+90	-45	152.4	no significant assays							
LM92-07	100+95	101+35	-50	249.9	122.10	122.40	0.30	5.70	0.33	4.50	272.50	1.06
LM92-08	103+00	101+20	-45	262.1	206.60	210.30	3.80	1.53	trace	trace	59.80	6.10
LM93-09	101+00	104+48	-90	443.8	did not intersect felsic host rock; no significant assays							
LM93-10	101+00	102+42	-90	309.8	no significant assays							
LM93-11	106+00	103+20	-54	597.0	no significant assays							
LM93-12	99+00	101+55	-68	260.7	173.40	174.90	1.50	3.08	0.23	0.63	6.82	0.14
LM07-13	101+00	102+41	-65	599.0	164.50	200.70	36.20	1.46	0.02	0.33	7.00	0.20
<i>including</i>					164.50	169.55	5.05	7.49	0.07	0.77	40.29	1.21
<i>including</i>					164.50	167.30	2.80	10.86	0.11	0.92	63.43	2.02
<i>including</i>					165.20	169.55	4.35	8.69	0.08	0.89	42.48	0.40
<i>including</i>					175.00	176.50	1.50	4.96	0.11	0.04	4.87	0.05
<i>including</i>					184.70	186.00	1.30	4.04	0.03	2.39	11.73	0.01
LM07-14	102+00	102+40	-65	601.1	203.10	220.60	17.50	3.39	1.08	0.51	25.62	0.52
<i>including</i>					204.30	216.30	12.00	4.24	1.39	0.68	31.87	0.54
<i>including</i>					203.50	208.90	5.40	5.26	1.52	1.06	92.56	0.85
LM07-15	103+00	101+90	-65	510.0	219.00	233.60	14.60	9.46	2.13	0.81	73.44	1.85
<i>including</i>					221.60	224.80	3.20	1.41	0.63	0.73	223.58	6.65
<i>including</i>					224.80	227.80	3.00	18.52	3.87	0.36	32.41	0.61
<i>including</i>					224.80	233.60	8.80	14.79	3.14	1.04	34.18	0.58
<i>including</i>					230.50	233.60	3.10	23.02	4.90	2.30	54.64	0.65
LM07-16	104+00	101+90	-65	480.0	369.50	376.00	6.50	1.66	0.13	0.10	7.92	0.04
<i>including</i>					369.50	370.20	0.70	8.40	0.01	0.36	18.20	0.23
LM07-17	104+00	101+00	-65	576.4	236.00	259.50	23.50	8.55	1.63	0.35	33.46	0.49
<i>including</i>					236.00	250.60	14.60	12.38	2.61	0.45	50.32	0.74
<i>including</i>					242.50	250.60	8.10	21.04	4.26	0.72	76.05	0.65
LM07-18	104+00	101+00	-45	344.0	132.10	183.80	51.70	0.58	0.10	0.09	4.25	0.12
<i>including</i>					136.80	146.80	10.00	1.62	0.46	0.15	12.42	0.15
<i>including</i>					234.70	245.50	10.80	0.25	0.07	0.01	2.23	0.05
LM08-19	104+51	101+00	-65	431.0	2.30	9.50	7.20	0.49	0.30	0.06	14.14	0.13
					94.50	99.00	4.50	0.57	0.52	0.23	92.50	1.92
LM08-20	104+50	101+65	-50	236.0	did not intersect felsic host rock; no significant assays							
LM09-21	104+47	100+00	-47	152.0	did not intersect felsic host rock; no significant assays							
LM08-22	105+00	101+00	-45	221.0	65.60	71.00	5.40	0.53	0.12	0.06	59.70	0.46

Drillhole	Northing	Easting	Inclination	Length (m)	From (m)	To (m)	Interval (m)	Zinc (%)	Lead (%)	Copper (%)	Silver (g/t)	Gold (g/t)
LM08-23 <i>including</i>	105+00	101+75	-45	245.0	65.60	71.00	5.40	0.52	0.12	0.06	55.21	0.46
					94.00	101.00	7.00	1.36	0.16	0.23	15.81	0.22
					95.00	100.50	5.50	1.61	0.27	0.19	18.47	0.26
					190.00	195.00	5.00	1.00	0.37	0.14	7.45	0.11
LM08-24 <i>including</i>	105+00	101+75	-70	489.8	432.00	438.00	6.00	6.60	0.68	0.61	28.28	0.46
					433.00	434.10	1.10	30.54	2.94	1.50	88.90	0.72
LM08-25	106+00	99+00	-45	281.0	4.20	13.00	8.80	0.35	0.03	0.12	7.36	0.15
					63.00	69.00	6.00	0.55	0.00	0.02	1.08	0.04
					151.00	194.00	43.00	0.47	0.07	0.04	3.43	0.08
LM08-26	103+00	103+00	-65	578.0	did not intersect felsic host rock; no significant assays							
LM08-27	106+00	99+00	-65	263.0	3.00	20.20	17.20	0.29	0.04	0.10	4.29	0.10
					152.40	156.70	4.00	0.21	0.12	0.01	6.96	0.39
LM08-28	106+00	98+00	-65	515.1	11.00	15.00	4.00	0.75	0.14	0.04	1.35	0.03
					238.00	244.00	6.00	0.25	0.25	0.05	24.84	2.23
					370.90	372.90	2.00	2.29	0.30	0.20	10.30	0.12
					399.30	401.10	2.00	1.93	0.30	0.06	11.70	0.62
LM08-29 <i>including</i> <i>including</i>	106+00	98+00	-73	629.0	293.00	317.00	24.00	0.68	0.16	0.08	4.83	0.10
					299.00	309.00	10.00	1.02	0.13	0.10	6.34	0.13
					324.00	375.00	51.00	0.58	0.11	0.08	2.87	0.10
					406.00	430.00	24.00	0.37	0.01	0.17	2.09	0.06
					419.50	423.00	3.50	1.57	0.01	0.73	6.24	0.10
LM08-30	103+00	98+80	-75	329.0	42.00	58.00	16.00	0.24	0.03	0.04	2.02	0.05
					67.00	117.00	50.00	0.24	0.01	0.08	1.85	0.07
LM08-31	104+00	99+50	-45	329.0	172.00	182.00	10.00	0.85	0.18	0.10	5.57	0.09
LM08-32	102+00	101+85	-56.5	518.0	210.50	214.10	3.60	0.79	0.02	0.09	1.15	0.04
					219.90	220.90	1.00	2.17	0.01	0.32	3.50	0.08
					232.90	237.60	4.70	1.68	0.00	0.09	1.40	0.07
LM08-33 <i>including</i> <i>including</i> <i>including</i> <i>including</i>	103+00	101+90	-50	341.0	219.15	246.00	26.85	4.98	0.93	0.48	37.75	0.83
					229.70	237.80	8.10	5.92	2.19	0.68	102.71	2.13
					229.70	231.20	1.50	7.34	6.77	0.61	218.83	4.73
					233.20	236.20	3.00	9.67	1.35	1.04	108.22	2.00
					243.00	246.00	3.00	10.52	0.46	0.93	11.03	0.24
LM08-34	102+12	100+39	-47	322.0	174.30	175.30	1.00	1.88	0.29	0.20	7.19	0.09
LM08-35	106+00	95+00	-50	158.0	hole abandoned - no significant assays							
LM08-36	106+00	94+90	-50	14.0	hole abandoned							
LM08-37	106+00	97+00	-80	434.0	296.25	299.25	3.00	9.32	0.45	0.97	16.10	0.26
					312.70	377.70	65.00	0.34	0.03	0.04	0.73	0.02
					377.70	383.10	5.40	3.96	0.01	0.62	2.90	0.08
LM08-38	107+00	97+00	-70	422.0	no significant assays							
LM08-39	100+00	102+90	-45	358.0	no significant assays							
LM08-40	106+00	96+50	-75	389.0	no significant assays							
LM10-41	103+50	101+00	-65	322.5	194.70	199.50	4.80	0.45	0.02	0.07	3.48	0.31
LM10-42	103+50	101+90	-65	402.6	344.20	351.50	7.30	0.98	0.16	0.14	4.61	0.09
LM10-43 <i>including</i>	102+50	102+15	-65	318.8	202.00	249.10	47.10	6.36	1.49	0.63	39.39	0.93
					202.00	232.10	30.10	9.30	2.28	0.91	60.37	1.41

Drillhole	Northing	Easting	Inclination	Length (m)	From (m)	To (m)	Interval (m)	Zinc (%)	Lead (%)	Copper (%)	Silver (g/t)	Gold (g/t)
<i>including</i>					210.30	227.35	17.05	14.80	3.56	1.40	80.90	1.35
LM10-44	103+50	101+90	-65	281.9	174.30	175.30	1.00	1.88	0.29	0.20	7.19	0.09
LM10-45	105+50	103+20	-55	587.7	426.30	426.80	0.50	1.70	0.45	0.24	34.10	0.11
LM10-46	101+00	102+40	-55	265.8	174.80	183.20	8.40	4.30	0.16	0.31	36.29	0.38
<i>including</i>					177.95	178.45	0.50	12.50	0.07	1.00	122.70	0.16
LM10-47	100+00	101+70	-50	282.2	189.80	190.30	0.50	2.18	0.49	0.45	9.20	0.11
					194.10	194.60	0.50	0.05	0.03	1.97	11.90	0.23
LM10-48	105+00	101+75	-76	541.3	no significant assays							
LM11-49	108+00	101+85	-55	521.3	no significant assays							
LM11-50	108+00	101+85	-75	230.7	no significant assays							
LM11-51	104+51	101+00	-45	505.1	123.60	125.50	1.90	3.06	0.03	0.28	7.09	0.09
LM11-52	102+50	101+75	-62	318.8	209.30	228.90	19.60	4.36	0.93	0.40	40.90	1.21
<i>including</i>					210.10	218.80	8.70	8.09	2.09	0.75	90.60	2.59
LM11-53	101+50	102+35	-65	297.8	221.00	228.40	7.40	1.33	0.01	0.28	2.60	0.07
LM11-54	101+75	102+40	-65	279.5	194.80	201.30	6.50	0.06	0.02	0.03	11.79	3.00
<i>including</i>					201.30	203.50	2.20	4.66	2.21	0.18	65.63	0.28
					201.30	201.80	0.50	16.40	8.70	0.60	245.40	0.48
LM11-55	102+65	102+40	-62	303.9	no significant assays; mafic volcanics							
LM11-56	104+00	101+00	-77	358.4	139.10	139.60	0.50	1.64	0.33	0.76	15.7	0.1
<i>and</i>								1.28	0.46	0.09	20.83	0.58
LM11-57	104+00	101+00	-58.5	575.2	156.90	157.40	0.50	3.40	1.48	0.82	31.40	0.08
<i>and</i>					472.20	472.90	0.70	1.24	0.07	0.20	3.10	0.03
<i>and</i>					480.50	481.60	1.10	2.66	0.08	0.96	12.30	0.07
LM11-58	104+00	101+90	-78	428.9	no significant assays, mafic volcanics							
LM11-59	103+25	101+90	-59.5	288.6	215.80	246.20	30.40	9.48	1.23	1.07	27.68	0.70
<i>including</i>					221.60	240.00	18.40	13.12	1.96	1.52	40.14	1.01
<i>and</i>					221.60	226.00	4.40	23.13	1.81	2.16	33.52	0.42
LM11-60	103+25	101+90	-51	285.0	240.90	248.80	7.90	4.42	0.66	0.19	7.50	0.79
<i>including</i>					240.90	242.60	1.70	17.92	2.76	0.61	20.80	0.25
LM11-61	103+00	101+90	-60	310.0	216.50	243.90	27.40	11.65	3.82	1.18	54.70	1.07
<i>including</i>					218.80	228.50	9.70	20.93	7.48	2.22	105.61	0.73
LM11-62	103+00	101+90	-46	291.7	256.30	266.60	10.30	11.83	3.27	1.61	528.31	3.13
LM11-63	102+50	101+75	-67	267.9	207.30	225.90	18.60	6.47	1.25	0.82	71.55	3.88
<i>including</i>					207.30	214.30	7.00	12.74	3.27	1.65	185.75	10.13
LM11-64	102+50	101+75	-52	276.2	217.90	227.50	9.60	5.35	0.25	0.61	14.76	0.30
<i>including</i>					217.90	221.20	3.30	12.61	0.71	1.49	38.45	0.71
LM11-65	101+00	102+40	-77	203.3	157.20	164.70	7.50	17.54	2.34	1.43	124.29	0.72
LM11-66	101+25	102+40	-77	242.9	176.90	181.00	4.10	0.84	0.06	0.05	1.61	0.05
LM11-67	102+00	101+85	-88	236.8	196.00	207.00	11.00	1.72	0.32	0.10	5.89	0.15
LM11-68	102+00	101+85	-70	252.1	195.40	205.95	10.55	6.59	4.34	0.63	130.68	2.20
<i>including</i>					197.05	205.10	8.05	8.28	5.57	0.78	168.15	2.21
LM11-69	103+50	101+00	-74	279.2	178.20	188.00	9.80	3.00	0.10	0.20	4.20	0.10
<i>including</i>					183.60	188.00	4.40	5.81	0.11	0.31	6.12	0.08
LM11-70	104+50	100+00	-65	138.7	91.80	103.50	11.70	1.69	0.24	0.20	10.90	0.17
<i>including</i>					91.80	95.80	4.00	3.10	0.15	0.36	9.58	0.12
LM11-71	104+50	100+00	-80	151.1	93.00	123.00	30.00	0.50	0.08	0.06	5.03	0.14
<i>including</i>					93.00	96.00	3.00	1.20	0.28	0.12	11.43	0.07
LM11-72	103+50	101+25	-64	227.6	173.30	177.00	3.70	5.02	0.48	0.47	12.82	0.09

24,277