

HUXTER LANE DRILLHOLE RESULTS

Drillhole #	Azm (true)	Dip (°)	Hole Length (metres)	From (m)	To (m)	Core Length (m)	Au (g/t) - FA/AA ⁽¹⁾
HX06-01	340	-45	57.00	5.90	34.50	28.60	1.07
<i>including</i>				5.90	16.40	10.50	1.86
<i>including</i>				5.90	12.60	6.70	2.27
HX06-02	340	-70	60.20	4.60	42.35*	37.75	0.67
<i>including</i>				4.60	12.00	7.40	1.85
<i>and</i>				4.60	6.00	1.40	3.46
HX06-03	340	-70	166.73	33.15	36.15	3.00	1.05
<i>including</i>				33.15	34.15	1.00	1.72
HX06-04	340	-45	62.79	39.25	54.05	14.80	0.43
HX06-05	340	-45	81.38	28.15	70.00	41.85	0.46
<i>including</i>				29.15	31.15	2.00	1.77
HX06-06	340	-70	81.08	27.15	74.75	47.60	0.65
<i>including</i>				27.15	33.15	6.00	2.32
<i>including</i>				31.15	32.15	1.00	5.39
HX06-07	340	-45	124.05	91.40	107.30	15.90	0.42
<i>including</i>				102.40	104.40	2.00	0.94
HX06-08	295	-45	133.20	79.75	112.45	32.70	0.22
HX06-09	n/a	-90	128.35	85.50	95.50	10.00	0.73
<i>including</i>				86.00	87.00	1.00	1.42
<i>and</i>				91.50	92.50	1.00	1.64
HX06-10	295	-45	157.01	117.00	128.55	11.55	0.77
<i>including</i>				126.00	128.55	2.55	2.28
<i>including</i>				127.00	128.00	1.00	4.43
HX06-11	295	-70	124.83	96.00	115.75	19.75	0.32
HX06-12	340	-45	150.57	91	101	10.00	0.33
HX06-13	340	-45	186.23	10.00	66.00	56.00	0.66
<i>including</i>				48.00	52.00	4.00	1.54
<i>and</i>				56.00	63.00	7.00	1.50
<i>including</i>				61.00	62.00	1.00	2.24
HX06-16	340	-45	163.68	115.00	150.00	35.00	2.21
<i>including</i>				118.00	138.00	20.00	2.67
<i>and</i>				118.00	130.00	12.00	2.82
<i>including</i>				145.00	150.00	5.00	3.00
HX07-19	340	-45	212.32	88.00	97.50	9.50	0.26
HX07-20	340	-45	211.28	87.85	191.20	103.35	0.67
<i>including</i>				139.30	140.30	1.00	7.56
<i>including</i>				180.20	182.20	2.00	2.61
HX07-22	340	-45	207.87	108.80	166.25	57.45	0.60
<i>including</i>				145.50	161.30	15.80	1.37
<i>and</i>				151.70	160.10	8.40	1.92
<i>and</i>				155.10	157.50	2.40	3.19
HX07-23	340	-45	223.11	103.20	176.90	73.70	0.42
<i>including</i>				103.20	108.20	5.00	1.38
HX07-24	340	-45	191.11	139.30	159.50	20.20	1.68
<i>including</i>				141.30	158.15	16.85	2.00
<i>and</i>				144.30	148.30	4.00	4.16
<i>and</i>				151.30	154.30	3.00	3.08
HX07-25	340	-45	282.55	198.00	208.35	10.35	0.37
HX08-26	340	-70	224.3	174.60	202.75	28.15	0.39
<i>and</i>				213.70	216.70	3.00	1.73
<i>including</i>				214.70	215.70	1.00	3.42

HUXTER LANE DRILLHOLE RESULTS

Drillhole #	Azm (true)	Dip (°)	Hole Length (metres)	From (m)	To (m)	Core Length (m)	Au (g/t) - FA/AA ⁽¹⁾	
HX08-27	340	-70	131	59.80	61.00	1.20	0.61	
<i>and</i>				84.50	93.50	9.00	0.59	
<i>and</i>				105.00	117.10	12.10	0.50	
HX08-28	340	-70	185	84.00	86.00	2.00	0.98	
<i>and</i>				133.00	136.00	3.00	1.23	
HX08-29	340	-70	191.9	105.40	125.40	20.00	0.84	
<i>including</i>				120.40	122.40	2.00	2.83	
<i>and</i>				145.40	156.80	11.40	0.54	
<i>including</i>				156.10	156.80	0.70	3.66	
HX08-30	340	-70	224	32.00	37.00	5.00	0.84	
<i>and</i>				42.00	48.00	6.00	0.92	
<i>including</i>				46.00	47.00	1.00	2.45	
<i>and</i>				137.00	193.50	56.50	0.41	
HX08-31	340	-70	266	145.00	148.00	3.00	0.77	
<i>and</i>				195.50	212.00	16.50	0.55	
HX09-32	340	-44	187.5	146.48	164.00	17.52	0.38	
<i>and</i>				146.48	155.30	8.82	0.7	
				151.50	155.30	3.80	1.06	
HX09-33	340	-45	172.1	122.72	161.40	38.68	0.57	
<i>and</i>				123.72	126.70	2.98	2.1	
				123.72	137.27	13.55	1	
				123.72	140.77	17.05	0.93	
				152.46	161.40	8.94	0.55	
HX09-34	340	-45	156.1	123.44	133.62	10.18	0.52	
<i>and</i>				126.97	128.37	1.40	1.83	
HX09-35	345	-45	158.2	139.54	153.04	13.50	0.64	
<i>and</i>				145.83	153.04	7.21	1.14	
HX09-36	345	-45	84.1	no significant assays; target not reached				
<i>and</i>								
HX09-37	340	-45	160.6	122.05	155.85	33.80	0.51	
<i>and</i>				127.22	133.70	6.48	0.70	
				146.82	155.85	9.03	0.99	
				149.40	155.85	6.45	1.27	
HX09-38	340	-45	161.8	77.12	154.61	77.49	0.38	
<i>and</i>				77.12	105.18	28.06	0.55	
				77.12	82.14	5.02	1.03	
				113.29	119.46	6.17	0.70	
				140.61	154.61	14.00	0.57	
				140.61	142.62	2.01	3.24	
HX09-39	340	-45	141.7	37.82	81.87	44.05	0.21	
<i>and</i>				65.05	71.45	6.40	0.56	
				96.04	97.16	1.12	2.20	
				112.31	115.63	3.32	1.24	
HX09-40	340	-45	141.7	31.91	45.83	13.92	0.51	
<i>and</i>				68.72	71.25	2.53	0.58	
				110.41	113.92	3.51	0.30	
HX09-41	335	-45	91.4	16.46	51.00	34.54	0.31	
<i>and</i>				36.86	38.98	2.12	0.87	
				48.42	51.00	2.58	1.37	
HX09-42	340	-45	86.9	41.85	56.88	15.03	0.43	
<i>and</i>				54.72	56.88	2.16	1.15	

HUXTER LANE DRILLHOLE RESULTS

Drillhole #	Azm (true)	Dip (°)	Hole Length (metres)	From (m)	To (m)	Core Length (m)	Au (g/t) - FA/AA ⁽¹⁾
HX09-43	340	-45	93	51.30	58.04	6.74	0.54
<i>and</i>				74.89	76.92	2.03	0.75
HX09-44	340	-45	117.4	59.96	95.39	35.43	0.42
<i>and</i>				61.02	69.79	8.77	0.57
				74.56	78.06	3.50	0.88
				83.16	95.39	12.23	0.50
				92.39	95.39	3.00	0.83
				97.46	99.48	2.02	1.61
				103.69	110.58	6.89	0.57
HX09-45	340	-45	118.9	47.87	89.80	41.93	0.30
<i>and</i>				50.54	55.84	5.30	0.54
				59.06	62.31	3.25	0.46
				66.16	69.24	3.08	0.60
				82.43	87.63	5.20	0.75
HX09-46	340	-45	152.4	51.11	105.88	54.77	0.29
<i>and</i>				74.32	105.88	31.56	0.37
				74.32	82.04	7.72	0.56
				86.15	90.30	4.15	0.51
				95.50	98.05	2.55	0.55
				100.11	102.79	2.68	0.57
HX10-47	340	-55	181.50	77.00	145.00	68.00	0.78
<i>including</i>				78.00	108.00	30.00	1.02
<i>and</i>				83.00	87.00	4.00	2.18
HX10-48	340	-45	214.50	97.41	128.00	30.59	0.64
<i>including</i>				121.87	128.00	6.13	1.16
HX10-49	340	-45	192.10	92.00	124.00	32.00	0.54
<i>including</i>				118.00	124.00	6.00	1.03
HX10-50	070	-45	276.00	68.58	80.00	11.42	0.56
<i>including</i>				75.32	80.00	4.68	1.02
				91.00	201.00	110.00	0.50
<i>including</i>				91.00	101.00	10.00	1.52
<i>and</i>				120.00	130.87	10.87	1.13
HX10-51	340	-45	111.30	34.75	42.47	7.72	1.16
<i>including</i>				39.00	42.00	3.00	2.54
HX10-52	074	-45	208.20	72.50	155.00	82.50	0.56
<i>including</i>				102.00	148.00	46.00	0.70
<i>and</i>				102.00	120.00	18.00	1.01
HX10-53	070	-45	228.70	54.30	65.20	10.90	0.60
<i>including</i>				149.10	209.70	60.60	0.74
				165.50	191.35	25.85	1.05
HX10-54	070	-45	119.50	47.95	69.25	21.30	0.36
<i>including</i>				47.95	55.60	7.65	0.51
HX10-55	070	-45	285.10	212.00	274.00	62.00	0.70
<i>including</i>				218.00	242.00	24.00	1.00
HX10-56	070	-45	86.90	42.00	46.13	4.13	0.66
HX10-57	070	-45	81.70	no significant values			
HX10-58	250	-45	346.00	210.00	325.04	115.04	0.46
<i>including</i>				210.00	220.45	10.45	1.18
<i>and</i>				294.13	320.04	25.91	0.64
<i>including</i>				303.18	311.09	7.91	1.10
HX10-59	265	-70	341.50	261.88	271.04	9.16	1.18

HUXTER LANE DRILLHOLE RESULTS

Drillhole #	Azm (true)	Dip (°)	Hole Length (metres)	From (m)	To (m)	Core Length (m)	Au (g/t) - FA/AA ⁽¹⁾
HX10-60 <i>including</i>	250	-70	343.00	256.94 259.69	261.80 261.80	4.86 2.11	0.63 1.44
HX11-61 <i>including</i> <i>including</i>	70	-65	230.88	108.07 120.00 218.10	221.35 124.95 221.35	113.28 4.95 3.25	0.20 1.10 1.13
HX11-62 <i>and</i> <i>including</i> <i>including</i>	70	-65	235.35	152.72 176.45 217.00 219.00	157.88 224.30 224.30 223.20	5.16 47.85 7.30 4.20	0.72 0.35 1.28 2.04
HX11-63 <i>and</i>	70	-65	265.78	191.15 236.61	194.46 239.95	3.31 3.34	0.63 0.56
HX11-64 <i>including</i>	70	-65	267.92	212.59 229.00	233.00 233.00	20.41 4.00	0.30 0.67
HX11-65 <i>including</i>	70	-65	234.39	179.05 179.05	192.00 182.11	12.95 3.06	0.26 0.67
HX11-66	340	-65	235.00	no significant assays			
HX11-67 <i>and</i> <i>including</i>	340	-45	83.82	8.00 50.70 50.70	20.14 68.50 54.53	12.14 17.80 3.83	0.83 0.23 0.67